

SUNRRY MACHINERY TECHNOLOGY CO., LTD.

Meat grinder





SY-MM12 / SY-MM22

Pictures of real products













Specification

8 (1) Output :

- 8 SY-MM12: 120KGS
- 8 SY-MM22: 220KG

8 (2) Material:

- 8 All stainless steel 201 body, material thickness 1.5mm
- 8 Machine head section, Stir bar: S/S304.
- 8 Discharge hole, screw cutting tool: powder metallurgy

8 (3) Mechanical properties:



- 8 Security Settings: If there is bone blocked the discharge hole, turn around the bottom anticlockwise then the bone will come back to the blade and stop to work, next, turn around the bottom again clockwise then the grinder will start to work, stir the bone again to be smaller.
- 8 There are interspace on both side of side blade, for heat dissipation
- 8 Mode of drive: turbine rotation, lower noise then gear rotation mode
- 8 The connector of head section is international size and shape, can be used to connect to other head like vegetable cutter's head section to cut vegetables.
- 8 Motor: Copper wire motor
- 8 (4) Price:
- 8 SY-MM12: USD247/unit
- 8 SY-MM22: USD288/unit

8 Please contact us for more details



Tel: (+86) 20-23889550 Mob / WhatsApp / Viber: (+86) 18122012246 Skype: nikiniki8699 Website: www.sunrry.com Email: niki@sunrry.cn



Please contact us for more details



Tel: (+86) 20-23889550 Website: www.sunrry.com Email: niki@sunrry.cn